


MIG TORCH ERGON BZ 36 SPRING PINS

MIG



BZ 36

TENSION CLASS	POWER AT 60% CO ₂ - MIX	COOLING	Part No	DESCRIPTION	€ / ea
L	360 A - 320 A	AIR	02.ER.36.3	TORCIA COMPLETA BZ 36 mt. 3 - COMPLETE MIG TORCH BZ 36 mt. 3	
	360 A - 320 A		02.ER.36.4	TORCIA COMPLETA BZ 36 mt. 4 - COMPLETE MIG TORCH BZ 36 mt. 4	
	360 A - 320 A		02.ER.36.5	TORCIA COMPLETA BZ 36 mt. 5 - COMPLETE MIG TORCH BZ 36 mt. 5	

M6x28 STD	Part No	DESCRIPTION	PACK	€ / ea
1	02.01.25.06	Punta M6x28 Ø 0,6 - Contact tip M6x28 Ø 0,6	100	
	02.01.25.08	Punta M6x28 Ø 0,8 - Contact tip M6x28 Ø 0,8	100	
	02.01.25.09	Punta M6x28 Ø 0,9 - Contact tip M6x28 Ø 0,9	100	
	02.01.25.10	Punta M6x28 Ø 1,0 - Contact tip M6x28 Ø 1,0	100	
	02.01.25.12	Punta M6x28 Ø 1,2 - Contact tip M6x28 Ø 1,2	100	
	02.01.25.14	Punta M6x28 Ø 1,4 - Contact tip M6x28 Ø 1,4	100	
	02.01.25.16	Punta M6x28 Ø 1,6 - Contact tip M6x28 Ø 1,6	100	

M6x28 Special CUAG	Part No	DESCRIPTION	PACK	€ / ea
1	02.01.25.08AG	Punta M6x28 Ø 0,8 - Contact tip M6x28 Ø 0,8	100	
	02.01.25.09AG	Punta M6x28 Ø 0,9 - Contact tip M6x28 Ø 0,9	100	
	02.01.25.10AG	Punta M6x28 Ø 1,0 - Contact tip M6x28 Ø 1,0	100	
	02.01.25.12AG	Punta M6x28 Ø 1,2 - Contact tip M6x28 Ø 1,2	100	
	02.01.25.14AG	Punta M6x28 Ø 1,4 - Contact tip M6x28 Ø 1,4	100	
	02.01.25.16AG	Punta M6x28 Ø 1,6 - Contact tip M6x28 Ø 1,6	100	







M6x28 CUAGRZ	Part No	DESCRIPTION	PACK	€ / ea
1	02.01.25.08H	Punta M6x28 Ø 0,8 - Contact tip M6x28 Ø 0,8	100	
	02.01.25.09H	Punta M6x28 Ø 0,9 - Contact tip M6x28 Ø 0,9	100	
	02.01.25.10H	Punta M6x28 Ø 1,0 - Contact tip M6x28 Ø 1,0	100	
	02.01.25.12H	Punta M6x28 Ø 1,2 - Contact tip M6x28 Ø 1,2	100	
	02.01.25.14H	Punta M6x28 Ø 1,4 - Contact tip M6x28 Ø 1,4	100	
	02.01.25.16H	Punta M6x28 Ø 1,6 - Contact tip M6x28 Ø 1,6	100	

M6x28 Nickel Plated	Part No	DESCRIPTION	PACK	€ / ea
1	02.01.25.08N	Punta M6x28 Ø 0,8 - Contact tip M6x28 Ø 0,8	100	
	02.01.25.09N	Punta M6x28 Ø 0,9 - Contact tip M6x28 Ø 0,9	100	
	02.01.25.10N	Punta M6x28 Ø 1,0 - Contact tip M6x28 Ø 1,0	100	
	02.01.25.12N	Punta M6x28 Ø 1,2 - Contact tip M6x28 Ø 1,2	100	
	02.01.25.14N	Punta M6x28 Ø 1,4 - Contact tip M6x28 Ø 1,4	100	
	02.01.25.16N	Punta M6x28 Ø 1,6 - Contact tip M6x28 Ø 1,6	100	

M6x28 For Aluminium	Part No	DESCRIPTION	PACK	€ / ea
1	02.01.25.08AL	Punta M6x28 Ø 0,8 - Contact tip M6x28 Ø 0,8	100	
	02.01.25.10AL	Punta M6x28 Ø 1,0 - Contact tip M6x28 Ø 1,0	100	
	02.01.25.12AL	Punta M6x28 Ø 1,2 - Contact tip M6x28 Ø 1,2	100	
	02.01.25.16AL	Punta M6x28 Ø 1,6 - Contact tip M6x28 Ø 1,6	100	

M6x28 Triangular Hole	Part No	DESCRIPTION	PACK	€ / ea
1	02.01.25.10T	Punta M6x28 Ø 1,0 - Contact tip M6x28 Ø 1,0	100	
	02.01.25.12T	Punta M6x28 Ø 1,2 - Contact tip M6x28 Ø 1,2	100	
	02.01.25.14T	Punta M6x28 Ø 1,4 - Contact tip M6x28 Ø 1,4	100	
	02.01.25.16T	Punta M6x28 Ø 1,6 - Contact tip M6x28 Ø 1,6	100	

ITEM	Part No	DESCRIPTION	ORIGINAL REF.	PACK	€ / ea
2	02.02.36 C0	Ugello conico Ø 16 mm. - Adjustable conical nozzle Ø 16 mm. STD		10	
	02.02.36 CL	Ugello cilindrico Ø 20 mm. - Adjustable cylindrical nozzle Ø 20 mm.		10	
	02.02.36 CC 12	Ugello conico Ø 12 mm. - Adjustable conical nozzle Ø 12 mm.		10	
	02.02.36B0	Ugello a bottiglia Ø 17 mm. - Adjustable tapered nozzle Ø 17 mm.		10	
3	02.03.36.M6	Supporto punta M6 - Tip holder M6		50	
	02.03.36.M8	Supporto punta M8 - Tip holder M8		50	
4	02.05.36	Diffusore Gas STD - Gas diffuser standard		50	
	02.05.36N	Diffusore Gas nero - Black Gas diffuser		50	
	02.05.36K	Diffusore Gas ceramica - Ceramic Gas diffuser		10	
	02.05.36M	Diffusore Gas special marrone - Gas diffuser special brown		10	
5	02.06.36	Lancia - Conductor tube		1	
	02.10.15	Corpo torcia PVC - PVC torch body		1	

ITEM	Part No	DESCRIPTION	ORIGINAL REF.	PACK	€/ea	
	02.08.ER.16	Impugnatura ergonomic Ø 16 mm. con viti	- Ergonomic Handle with screw Ø 16 mm.			
	02.08.ER.01	Vite per impugnatura	- Screw for ergonomic handle			
	02.08.ER.02	Ghiera	- Housing for handle			
	02.09.ABZ	Pulsante interruttore STD	- Trigger std			
	02.09.ER	Pulsante interruttore lungo	- Long trigger			
	02.09.ER.3	Pulsante interruttore lungo con micro 3C	- Long trigger with switch 3 contacts			14,95
9	02.144.ER	Supporto snodo anteriore più molla	- Joint with spring			
	02.20.50	Cavo coassiale 50 mmq - 400A	- Coaxial cable 50 mmq - 400A - per mt.			
	02.20.36.3	Cavo coassiale assemblato mt.3	- Assembled cable mt.3			
	02.20.36.4	Cavo coassiale assemblato mt.4	- Assembled cable mt.4			
	02.20.36.5	Cavo coassiale assemblato mt.5	- Assembled cable mt.5			
	VA.A22T/P	Faston femmina	- Faston female			
	VA.B20 22	Manicotto serraggio cavi	- Sleeve			
	02.06.15.01	Dado Ø 10x1 mm.	- Nut Ø 10x1 mm.			
	VA.RC 36E	Raccordo cavo coassiale	- Coax-cable fitting			
	01.244M	Faston	- Faston for switch			
		02.04.T3	Guaina guidafilo blu Ø 0,6 - 1,0 mt.3	- Liner Ø 0,6 - 1,0 Blue mt.3		
		02.04.T4	Guaina guidafilo blu Ø 0,6 - 1,0 mt.4	- Liner Ø 0,6 - 1,0 Blue mt.4		
02.04.T5		Guaina guidafilo blu Ø 0,6 - 1,0 mt.5	- Liner Ø 0,6 - 1,0 Blue mt.5			
02.04.R3		Guaina guidafilo rossa Ø 1,0 - 1,2 mt.3	- Liner Ø 1,0 - 1,2 Red mt.3			
02.04.R4		Guaina guidafilo rossa Ø 1,0 - 1,2 mt.4	- Liner Ø 1,0 - 1,2 Red mt.4			
02.04.R5		Guaina guidafilo rossa Ø 1,0 - 1,2 mt.5	- Liner Ø 1,0 - 1,2 Red mt.5			
02.04.P3		Guaina guidafilo gialla Ø 1,2 - 1,6 mt.3	- Liner Ø 1,2 - 1,6 Yellow mt.3			
02.04.P4		Guaina guidafilo gialla Ø 1,2 - 1,6 mt.4	- Liner Ø 1,2 - 1,6 Yellow mt.4			
02.04.P5		Guaina guidafilo gialla Ø 1,2 - 1,6 mt.5	- Liner Ø 1,2 - 1,6 Yellow mt.5			
02.04.TG3		Guaina guidafilo rossa rinforzata Ø 1,0 - 1,2 mt.3	- Liner reinforced Ø 1,0 - 1,2 Red mt.3			
02.04.TG4		Guaina guidafilo rossa rinforzata Ø 1,0 - 1,2 mt.4	- Liner reinforced Ø 1,0 - 1,2 Red mt.4			
02.04.TG5	Guaina guidafilo rossa rinforzata Ø 1,0 - 1,2 mt.5	- Liner reinforced Ø 1,0 - 1,2 Red mt.5				
02.30.08	O-RING	- O-RING				
	02.04.AL	Guaina guidafilo per alluminio mt. 4,5	- Liner for Aluminium mt. 4,5			
	02.04.ALT	Capocorda	- Nut for liner for Aluminium			
	02.04.AL5	Guaina guidafilo per alluminio mt. 5,5	- Liner for Aluminium mt. 5,5			
FOR OTHER LINERS FOR ALUMINIUM LOOK AT PAGE 77						
	02.30.01	Mollone posteriore	- Cable support spring			
	02.30.02	Manicotto per mollone	- Cable protector grommet			
17	02.30.03	Scatola posteriore	- Connector case			
18	02.30.04	Ghiera	- Nut			
	02.30.05	Corpo torcia posteriore spinette mobile	- EURO connector - SPRING PINS			
	13.30.08	Corpo torcia posteriore SAF spinette mobile	- EURO connector SAF® - SPRING PINS			
	02.30.08	O-RING	- O-RING			
	VA.A22/P	Faston maschio	- Faston male			
	02.30.06	Dado	- Liner nut			
	13.30.08.1	Spinetta maschio mobile	- Spring pin			